

telergon
gorlan



LIFT & AUTOMATION
Control and Safety Solutions

www.telergon.com



gorlan



Specialists in low voltage switching solutions

Since 1953, Telergon has been designing and manufacturing switching and protection solutions for industrial and critical applications

With a presence in more than 100 countries, we combine engineering expertise, manufacturing capability and customer-oriented development to deliver reliable solutions adapted to modern lift and automation systems.




Telergon's sectors



Green Energy




Industry



Power
Distribution



Railway



Lift and
Automation

Innovation and reliability for industrial automation and lifting systems

We are committed to continuous innovation, product quality and long-term customer partnerships.

Our development approach combines technical expertise, manufacturing flexibility and strict quality standards to support the evolving needs of the lift and industrial automation sector.



+70 YEARS

Industrial experience



+100 COUNTRIES

Worldwide presence



**IN-HOUSE
MANUFACTURING**

**Design and production
expertise**



**CUSTOMER-ORIENTED
ENGINEERING**

**Tailored technical
solutions**

Engineered for demanding applications

Reliable performance in demanding operating environments.

Customised solutions

Wide product range with adaptation capabilities for project requirements.

International experience

Global presence and experience supporting OEMs, panel builders and industrial projects worldwide.



Our range

SERIES **LA1**

Thermoplastic Range of Auxiliary Controls

This catalogue features our LA1 thermoplastic series, developed for reliable performance in automation and industrial applications.



CONSULT FOR OTHER SOLUTIONS



SERIES **LA2** ALUMINIUM

Aluminum switches, ideal for projects requiring a premium finish.



SERIES **LA3** STAINLESS STEEL

Stainless steel switches, maximum resistance in demanding environments.

INDEX



PUSH BUTTONS

NON-ILLUMINATED	7
NON-ILLUMINATED MOMENTARY ENGRAVING	8
ILLUMINATED MOMENTARY	9
ILLUMINATED LATCHING	10
ILLUMINATED MOMENTARY ENGRAVING	11
	12



LED INDICATORS

LED INDICATORS PILOT LIGHT	13
INDICATORS PILOT LIGHT	14
	15



ROTARY SELECTOR SWITCHES

ILLUMINATED	16
NON-ILLUMINATED	17
SELECTORS WITH KEY	18
	18



EMERGENCY PUSH BUTTONS

Ø32	20
Ø40	21
	21



MULTIFUNCTION BUTTONS

ILLUMINATED	22
NON-ILLUMINATED	23
	23



BUZZERS

ILLUMINATED	24
NON-ILLUMINATED	24
	24



CONTACT BLOCKS

26



CONTROL STATION ENCLOSURES


YELLOW COVER	30
GREY COVER	31
	31

PRODUCT STRUCTURE


Not included

Contact must be ordered separately

Contact



Included in product code



PUSH BUTTONS



Non illuminated

Momentary or Latching operation
Flat, Extended or Mushroom button design
Modular contact blocks make installation easier
Different button colours



Illuminated

Momentary or Latching operation
Flat, Extended or Mushroom button design
Modular contact blocks make an easier installation
LED base included



Engraving push buttons

Indicators with different arrow styles
Double & Single Arrow
Pin lock




Momentary Engraving

Bell & Lamp design
Yellow or black colours
Non-illuminated or illuminated versions
Customised engraving


► **NON-ILLUMINATED PUSH BUTTONS**
MOMENTARY - LATCHING

IP65 **Ø22**


FLAT		MOMENTARY	LATCHING
	Blue	LA12100B	LA13100B
	Green	LA12100G	LA13100G
	Black	LA12100K	LA13100K
	Red	LA12100R	LA13100R
	White	LA12100W	LA13100W
	Yellow	LA12100Y	LA13100Y



EXTENDED		MOMENTARY	LATCHING
	Blue	LA12500B	LA13500B
	Green	LA12500G	LA13500G
	Black	LA12500K	LA13500K
	Red	LA12500R	LA13500R
	White	LA12500W	LA13500W
	Yellow	LA12500Y	LA13500Y



MUSHROOM		MOMENTARY	LATCHING
	Blue	LA12400B	LA13400B
	Green	LA12400G	LA13400G
	Black	LA12400K	LA13400K
	Red	LA12400R	LA13400R
	White	LA12400W	LA13400W
	Yellow	LA12400Y	LA13400Y



► **NON-ILLUMINATED PUSH BUTTONS**
MOMENTARY ENGRAVING

IP65 **Ø22**

SINGLE ARROW RIGHT



Blue	LA12N00B
Black	LA12N00K
White	LA12N00W

SINGLE ARROW LEFT



Black	LA12X00K
White	LA12X00W

COMMON BUTTON



Blue	LA12L00B
Black	LA12L00K
White	LA12L00W

DOUBLE ARROW HORIZONTAL



Blue	LA12M00B
Black	LA12M00K
White	LA12M00W

DOWN BUTTON





Blue	LA12V00B
Black	LA12V00K
White	LA12V00W

UP BUTTON



Black	LA12Y00K
White	LA12Y00W



BELL DESIGN






Black	LA12T00K
Yellow	LA12T00Y

LAMP DESIGN



Black	LA12U00K
Yellow	LA12U00Y

* For customizable engraving, consult.



► ILLUMINATED PUSH BUTTONS

MOMENTARY


IP65 **Ø22**

FLAT



MOMENTARY

	6.3VAC/DC	12VAC/DC	24VAC/DC	110VAC/DC	220VAC/DC
Blue	LA12700B063	LA12700B012	LA12700B024	LA12700B110	LA12700B220
Green	LA12700G063	LA12700G012	LA12700G024	LA12700G110	LA12700G220
Red	LA12700R063	LA12700R012	LA12700R024	LA12700R110	LA12700R220
White	LA12700W063	LA12700W012	LA12700W024	LA12700W110	LA12700W220
Yellow	LA12700Y063	LA12700Y012	LA12700Y024	LA12700Y110	LA12700Y220




EXTENDED



MOMENTARY

	6.3VAC/DC	12VAC/DC	24VAC/DC	110VAC/DC	220VAC/DC
Blue	LA12600B063	LA12600B012	LA12600B024	LA12600B110	LA12600B220
Green	LA12600G063	LA12600G012	LA12600G024	LA12600G110	LA12600G220
Red	LA12600R063	LA12600R012	LA12600R024	LA12600R110	LA12600R220
White	LA12600W063	LA12600W012	LA12600W024	LA12600W110	LA12600W220
Yellow	LA12600Y063	LA12600Y012	LA12600Y024	LA12600Y110	LA12600Y220




MUSHROOM



MOMENTARY

	6.3VAC/DC	12VAC/DC	24VAC/DC	110VAC/DC	220VAC/DC
Blue	LA12G00B063	LA12G00B012	LA12G00B024	LA12G00B110	LA12G00B220
Green	LA12G00G063	LA12G00G012	LA12G00G024	LA12G00G110	LA12G00G220
Red	LA12G00R063	LA12G00R012	LA12G00R024	LA12G00R110	LA12G00R220
White	LA12G00W063	LA12G00W012	LA12G00W024	LA12G00W110	LA12G00W220
Yellow	LA12G00Y063	LA12G00Y012	LA12G00Y024	LA12G00Y110	LA12G00Y220



► ILLUMINATED PUSH BUTTONS

LATCHING


IP65 **Ø22**

FLAT



LATCHING

	6.3VAC/DC	12VAC/DC	24VAC/DC	110VAC/DC	220VAC/DC
Blue	LA13700B063	LA13700B012	LA13700B024	LA13700B110	LA13700B220
Green	LA13700G063	LA13700G012	LA13700G024	LA13700G110	LA13700G220
Red	LA13700R063	LA13700R012	LA13700R024	LA13700R110	LA13700R220
White	LA13700W063	LA13700W012	LA13700W024	LA13700W110	LA13700W220
Yellow	LA13700Y063	LA13700Y012	LA13700Y024	LA13700Y110	LA13700Y220




EXTENDED



LATCHING

	6.3VAC/DC	12VAC/DC	24VAC/DC	110VAC/DC	220VAC/DC
Blue	LA13600B063	LA13600B012	LA13600B024	LA13600B110	LA13600B220
Green	LA13600G063	LA13600G012	LA13600G024	LA13600G110	LA13600G220
Red	LA13600R063	LA13600R012	LA13600R024	LA13600R110	LA13600R220
White	LA13600W063	LA13600W012	LA13600W024	LA13600W110	LA13600W220
Yellow	LA13600Y063	LA13600Y012	LA13600Y024	LA13600Y110	LA13600Y220




MUSHROOM



LATCHING

	6.3VAC/DC	12VAC/DC	24VAC/DC	110VAC/DC	220VAC/DC
Blue	LA13G00B063	LA13G00B012	LA13G00B024	LA13G00B110	LA13G00B220
Green	LA13G00G063	LA13G00G012	LA13G00G024	LA13G00G110	LA13G00G220
Red	LA13G00R063	LA13G00R012	LA13G00R024	LA13G00R110	LA13G00R220
White	LA13G00W063	LA13G00W012	LA13G00W024	LA13G00W110	LA13G00W220
Yellow	LA13G00Y063	LA13G00Y012	LA13G00Y024	LA13G00Y110	LA13G00Y220



► ILLUMINATED PUSH BUTTONS

MOMENTARY ILLUMINATED ENGRAVING PUSH BUTTONS

IP65 **Ø22**

BELL DESIGN




	6.3VAC/DC	12VAC/DC	24VAC/DC	110VAC/DC	220VAC/DC
● Black	LA12Z00K063	LA12Z00K012	LA12Z00K024	LA12Z00K110	LA12Z00K220
● Yellow	LA12Z00Y063	LA12Z00Y012	LA12Z00Y024	LA12Z00Y110	LA12Z00Y220

LAMP DESIGN



	6.3VAC/DC	12VAC/DC	24VAC/DC	110VAC/DC	220VAC/DC
● Black	LA12Q00K063	LA12Q00K012	LA12Q00K024	LA12Q00K110	LA12Q00K220
● Yellow	LA12Q00Y063	LA12Q00Y012	LA12Q00Y024	LA12Q00Y110	LA12Q00Y220



LED INDICATORS



Led indicator pilot light

Without body
Available in different colour
configurations




Indicator pilot light

With body
Available in different colour
configurations
Easy installation

RIPPLE




	6.3VAC/DC	12VAC/DC	24VAC/DC	110VAC	220VAC
Blue	LA1AH00B063	LA1AH00B012	LA1AH00B024	LA1AH00B110	LA1AH00B220
Green	LA1AH00G063	LA1AH00G012	LA1AH00G024	LA1AH00G110	LA1AH00G220
Red	LA1AH00R063	LA1AH00R012	LA1AH00R024	LA1AH00R110	LA1AH00R220
White	LA1AH00W063	LA1AH00W012	LA1AH00W024	LA1AH00W110	LA1AH00W220
Yellow	LA1AH00Y063	LA1AH00Y012	LA1AH00Y024	LA1AH00Y110	LA1AH00Y220
Amber	LA1AH00A063	LA1AH00A012	LA1AH00A024	LA1AH00A110	LA1AH00A220



FLAT




	6.3VAC/DC	12VAC/DC	24VAC/DC	110VAC	220VAC
Blue	LA1AI00B063	LA1AI00B012	LA1AI00B024	LA1AI00B110	LA1AI00B220
Green	LA1AI00G063	LA1AI00G012	LA1AI00G024	LA1AI00G110	LA1AI00G220
Red	LA1AI00R063	LA1AI00R012	LA1AI00R024	LA1AI00R110	LA1AI00R220
White	LA1AI00W063	LA1AI00W012	LA1AI00W024	LA1AI00W110	LA1AI00W220
Yellow	LA1AI00Y063	LA1AI00Y012	LA1AI00Y024	LA1AI00Y110	LA1AI00Y220
Amber	LA1AI00A063	LA1AI00A012	LA1AI00A024	LA1AI00A110	LA1AI00A220



DOMED




	6.3VAC/DC	12VAC/DC	24VAC/DC	110VAC	220VAC
Blue	LA1AA00B063	LA1AA00B012	LA1AA00B024	LA1AA00B110	LA1AA00B220
Green	LA1AA00G063	LA1AA00G012	LA1AA00G024	LA1AA00G110	LA1AA00G220
Red	LA1AA00R063	LA1AA00R012	LA1AA00R024	LA1AA00R110	LA1AA00R220
White	LA1AA00W063	LA1AA00W012	LA1AA00W024	LA1AA00W110	LA1AA00W220
Yellow	LA1AA00Y063	LA1AA00Y012	LA1AA00Y024	LA1AA00Y110	LA1AA00Y220
Amber	LA1AA00A063	LA1AA00A012	LA1AA00A024	LA1AA00A110	LA1AA00A220



RIPPLE




	6.3VAC/DC	12VAC/DC	24VAC/DC	110VAC/DC	220VAC/DC
Blue	LA11H00B063	LA11H00B012	LA11H00B024	LA11H00B110	LA11H00B220
Green	LA11H00G063	LA11H00G012	LA11H00G024	LA11H00G110	LA11H00G220
Red	LA11H00R063	LA11H00R012	LA11H00R024	LA11H00R110	LA11H00R220
White	LA11H00W063	LA11H00W012	LA11H00W024	LA11H00W110	LA11H00W220
Yellow	LA11H00Y063	LA11H00Y012	LA11H00Y024	LA11H00Y110	LA11H00Y220
Amber	LA11H00A063	LA11H00A012	LA11H00A024	LA11H00A110	LA11H00A220




FLAT




	6.3VAC/DC	12VAC/DC	24VAC/DC	110VAC/DC	220VAC/DC
Blue	LA11I00B063	LA11I00B012	LA11I00B024	LA11I00B110	LA11I00B220
Green	LA11I00G063	LA11I00G012	LA11I00G024	LA11I00G110	LA11I00G220
Red	LA11I00R063	LA11I00R012	LA11I00R024	LA11I00R110	LA11I00R220
White	LA11I00W063	LA11I00W012	LA11I00W024	LA11I00W110	LA11I00W220
Yellow	LA11I00Y063	LA11I00Y012	LA11I00Y024	LA11I00Y110	LA11I00Y220
Amber	LA11I00A063	LA11I00A012	LA11I00A024	LA11I00A110	LA11I00A220



DOMED



	6.3VAC/DC	12VAC/DC	24VAC/DC	110VAC/DC	220VAC/DC
Blue	LA11A00B063	LA11A00B012	LA11A00B024	LA11A00B110	LA11A00B220
Green	LA11A00G063	LA11A00G012	LA11A00G024	LA11A00G110	LA11A00G220
Red	LA11A00R063	LA11A00R012	LA11A00R024	LA11A00R110	LA11A00R220
White	LA11A00W063	LA11A00W012	LA11A00W024	LA11A00W110	LA11A00W220
Yellow	LA11A00Y063	LA11A00Y012	LA11A00Y024	LA11A00Y110	LA11A00Y220
Amber	LA11A00A063	LA11A00A012	LA11A00A024	LA11A00A110	LA11A00A220



ROTARY SELECTOR SWITCHES



Illuminated

Indicators with 2 or 3 positions
Momentary & Latching operation
Different colours



Non Illuminated

Indicators with 2 or 3 positions
Momentary & Latching operation
Different configurations



With key

Spring-return or Pull-out
Pull-out the key in different positions:
left, middle or all


► **ILLUMINATED ROTARY SELECTOR SWITCHES**
MOMENTARY - LATCHING




2 POSITION									
MOMENTARY					LATCHING				
6.3VAC/DC	12VAC/DC	24VAC/DC	110VAC/DC	220VAC/DC	6.3VAC/DC	12VAC/DC	24VAC/DC	110VAC/DC	220VAC/DC
LA147000B063	LA147000B012	LA147000B024	LA147000B110	LA147000B220	LA147200B063	LA147200B012	LA147200B024	LA147200B110	LA147200B220
LA147000G063	LA147000G012	LA147000G024	LA147000G110	LA147000G220	LA147200G063	LA147200G012	LA147200G024	LA147200G110	LA147200G220
LA147000R063	LA147000R012	LA147000R024	LA147000R110	LA147000R220	LA147200R063	LA147200R012	LA147200R024	LA147200R110	LA147200R220
LA147000W063	LA147000W012	LA147000W024	LA147000W110	LA147000W220	LA147200W063	LA147200W012	LA147200W024	LA147200W110	LA147200W220
LA147000Y063	LA147000Y012	LA147000Y024	LA147000Y110	LA147000Y220	LA147200Y063	LA147200Y012	LA147200Y024	LA147200Y110	LA147200Y220

3 POSITION									
MOMENTARY					LATCHING				
6.3VAC/DC	12VAC/DC	24VAC/DC	110VAC/DC	220VAC/DC	6.3VAC/DC	12VAC/DC	24VAC/DC	110VAC/DC	220VAC/DC
LA157100B063	LA157100B012	LA157100B024	LA157100B110	LA157100B220	LA157300B063	LA157300B012	LA157300B024	LA157300B110	LA157300B220
LA157100G063	LA157100G012	LA157100G024	LA157100G110	LA157100G220	LA157300G063	LA157300G012	LA157300G024	LA157300G110	LA157300G220
LA157100R063	LA157100R012	LA157100R024	LA157100R110	LA157100R220	LA157300R063	LA157300R012	LA157300R024	LA157300R110	LA157300R220
LA157100W063	LA157100W012	LA157100W024	LA157100W110	LA157100W220	LA157300W063	LA157300W012	LA157300W024	LA157300W110	LA157300W220
LA157100Y063	LA157100Y012	LA157100Y024	LA157100Y110	LA157100Y220	LA157300Y063	LA157300Y012	LA157300Y024	LA157300Y110	LA157300Y220

3 POSITION									
RIGHT MOMENTARY LEFT LATCHING					LEFT MOMENTARY RIGHT LATCHING				
6.3VAC/DC	12VAC/DC	24VAC/DC	110VAC/DC	220VAC/DC	6.3VAC/DC	12VAC/DC	24VAC/DC	110VAC/DC	220VAC/DC
LA157600B063	LA157600B012	LA157600B024	LA157600B110	LA157600B220	LA157700B063	LA157700B012	LA157700B024	LA157700B110	LA157700B220
LA157600G063	LA157600G012	LA157600G024	LA157600G110	LA157600G220	LA157700G063	LA157700G012	LA157700G024	LA157700G110	LA157700G220
LA157600R063	LA157600R012	LA157600R024	LA157600R110	LA157600R220	LA157700R063	LA157700R012	LA157700R024	LA157700R110	LA157700R220
LA157600W063	LA157600W012	LA157600W024	LA157600W110	LA157600W220	LA157700W063	LA157700W012	LA157700W024	LA157700W110	LA157700W220
LA157600Y063	LA157600Y012	LA157600Y024	LA157600Y110	LA157600Y220	LA157700Y063	LA157700Y012	LA157700Y024	LA157700Y110	LA157700Y220



2 POSITION



3 POSITION

► NON ILLUMINATED ROTARY SELECTOR SWITCHES

IP65

Ø22



2 POSITION

LA141000 Selector switch with spring-return

LA141200 Selector switch




3 POSITION

LA151100 Selector switch with spring-return

LA151300 Selector switch

LA151600 Selector switch right with spring-return

LA151700 Selector switch left with spring-return



► ROTARY SELECTOR SWITCHES WITH KEY



2 POSITION

LA161000 Selector switch with spring-return & pull-out the key in left position


LA1Y1200 Selector switch, pull-out the key in both position



3 POSITION

LA171100 Selector switch with spring-return, pull-out the key in middle position

LA1Z1300 Selector switch, pull-out the key in all position



MOVING PEOPLE DRIVING INDUSTRY

Reliable control solutions for industrial automation and elevator systems

Designed to perform in demanding environments, our components ensure precision, durability and safety in every application.



RELIABLE
PERFORMANCE



INDUSTRIAL
AUTOMATION



ELEVATOR
SOLUTIONS

EMERGENCY PUSH BUTTONS



Ø32

With or without vision
Push-pull or push & twist to release
Emergency operation
Mushroom design







Ø40

With or without vision
Push-pull or push & twist to release
Emergency operation
Mushroom design

► EMERGENCY PUSH BUTTONS





IP65

Ø22

Ø32			
PUSH - PULL		PUSH & TWIST TO RELEASE	
WITH VISION	WITHOUT VISION	WITH VISION	WITHOUT VISION
LA1TJ00R	LA19J00R	LA1SJ00R	LA18J00R
			
			
	WITH VISION	WITHOUT VISION	

IP65

Ø22

Ø40			
PUSH - PULL		PUSH & TWIST TO RELEASE	
WITH VISION	WITHOUT VISION	WITH VISION	WITHOUT VISION
LA1TB00R	LA19B00R	LA1SB00R	LA1S100R
			
			
	WITH VISION	WITHOUT VISION	

MULTIFUNCTION BUTTONS



Start-Stop

Illuminated and Non-Illuminated



Up/Down

Non-Illuminated



Alarm with the common

Non-Illuminated

► ILLUMINATED MULTIFUNCTION BUTTONS




IP65

ILLUMINATED					
	6.3VAC/DC	12VAC/DC	24VAC/DC	110VAC/DC	220VAC/DC
Start-Stop	LA1D7A000631	LA1D7A000121	LA1D7A000241	LA1D7A001101	LA1D7A002201



► NON-ILLUMINATED MULTIFUNCTION BUTTONS

NON ILLUMINATED		
Start-Stop	Up/Down	Alarm with the common
LA1D1A001	LA1D1A002	LA1D1A003



BUZZERS



Non-Illuminated



Illuminated


► BUZZERS

IP65 **Ø22**

ILLUMINATED		
	12VDC	24VDC
Continuous	LA1B7E00R012	LA1B7E00R024
Intermittent	LA1B7I00R012	LA1B7I00R024

NON ILLUMINATED		
	12VDC	24VDC
Continuous	LA1B1E00R0012	LA1B1E00R0024
Intermittent	LA1B1I00R0012	LA1B1I00R0024


IP65 **Ø22**




ACCESSORIES



LAAWS
Emergency Stop Ring






LAAAT
Nut mounting





LAALS
Legend Plate

LAAAL
START Legend Plate



LAALO
STOP Legend Plate



LAAP4
E-Stops Protector
4 Tips



LAAP3
E-Stops Protector
3 Tips



CONTACT BLOCKS

Choose your contact blocks

Available in different configurations.
LAANN & LAACC for multifunction buttons.



LAA10
1NO



LAA20
2NO



LAA01
1NC



LAA02
2NC






LAANN
1NO



LAACC
1NC



LAA11
1NO+1NC



► TECHNICAL DATA

		PUSH BUTTONS	SELECTORS & INDICATOR PILOT LIGHT	E-STOPS	LED INDICATORS & BUZZERS
Units per code		1	1	1	1
Min. purchasing		5	5	5	10
Range of operation	℃	-20 to 60 ℃	-20 to 60 ℃	-20 to 60 ℃	-20 to 60 ℃
Protection degree	IP	IP65	IP65	IP65	IP65
Vibration resistance	m/s2	Operation Failed: 5~55Hz			
		Single amplitude: 0.5mm			
		Durability: 30Hz			
		Single amplitude: 1.5mm			
Button Material		POM	PC	PA66	PC
Cover Material		PA66	PA66	PA66	-
Housing Material		PA66	PA66	PA66	PA66

According to IEC 60947-5-1			CONTACT BLOCKS
Units per code			1
Min. purchasing			10
Rated thermal current [Ith]	A		10
Rated insulation voltage [Ui]	V		600
Rated impulse withstand voltage [Uimp]	kV		2,5
AC Voltage [Ue]	AC15	V	240
AC Rated current [Ie]	AC15	A	5
DC Voltage [Ue]	DC13	V	4
DC Rated current [Ie]	DC13	A	24
Range of operation	°C		-20°C to 60°C
Protection degree	IP		IP20
Tightening Torque +5%, -10%	Nm		0.8 Nm
Screw type	M		M3.5
Electrical life (with load)	cycles		100000 (1NC and 1NO)
			50000 (2NC, 2NO, 1NO+1NC)
Shock resistance	m/s2		Malfunction: 100m/s ² ; Durability: 1000m/s ²
Vibration resistance	m/s2		0.35mm 50m/s2
Insulation resistance	m/s2		≥100MΩ (500V DC)
Button Material			PBT
Cover Material			PA66
Housing Material			PA66

BUILT FOR **LIFT.**

READY FOR **AUTOMATION.**

Reliable control components for applications where precision, durability and safety matter every day.



LIFT SYSTEMS



INDUSTRIAL AUTOMATION

C10 RANGE

Our range of control station enclosures is designed for lift and automation applications. Available in yellow and grey, with configurations from 1 to 5 holes. Customise your own control station with Telergon's enclosures and push-buttons.



LIFT & AUTOMATION
Designed for lift
and automation
applications



IP65
Made of ABS



1 TO 5 HOLES
Available in yellow
and grey

CONTROL STATION ENCLOSURES

IP65



CI01 Yellow Cover


From 1 to 5 holes

Yellow and grey

ABS material

IP65

Create your own custom box with Telergon's buttons and switches



IP65



CI02 Grey Cover

From 1 up to 5 holes

Grey and black

ABS Material


IP65



► CIO CONTROL STATION ENCLOSURES






IP65

CIO1 YELLOW COVER

	Holes	Code
	1	CIO1AAA001
	2	CIO1BAA002
	3	CIO1BAA003
	4	CIO1CAA004
	5	CIO1CAA005

CIO2 GREY COVER

	Holes	Code
	1	CIO2AAA001
	2	CIO2BAA002
	3	CIO2BAA003
	4	CIO2CAA004
	5	CIO2CAA005





TDM-L&A-ENG-102026

Telergon, SAU
Ctra. Castellón (Pol. La Cartuja)
50720 La Cartuja Baja, Zaragoza
España / Spain



Tel.: +34 976 500 876
info@telergon.com
www.telergon.com